



ULTIMATE
Visual Solutions

**THE ULTIMATE VISUAL SOLUTIONS
FOR ALL REQUIREMENTS.**



UVS LOOKTHRU TRANSPARENT OLED DISPLAY BY **PLANAR**

UVS-LT-55/55S

Transparent OLED Display Creates Truly See-Through Installations

The LookThru® Transparent Display makes it possible to create truly see-through installations with a virtually frameless glass design by utilizing cutting-edge Organic Light Emitting Diode (OLED) technology, eliminating the need for a backlight or enclosure.

With a 55" diagonal, LookThru features bright, vibrant colors greater than 120 percent National Television System Committee (NTSC) performance, as well as wide viewing angles with no off-axis contrast or brightness limitations. The display provides Full HD resolution, delivering beautiful graphics and full-motion video.

LookThru can be used in both portrait and landscape modes, table top or ceiling mount and can be tiled to create large, eye-catching video wall arrays. Corning® Gorilla® Glass is optically bonded to the display using ERO-OLED™ (Extended Ruggedness and Optics™) technology to create a highly durable display and accommodate touch screen usage for interactive applications.

LookThru displays are available with a wide range of accessories, expanding the application capabilities.

The accessories include four tiling components that cater to multi-display tiling designs featuring flat or corner configurations. In addition, other accessories available include Base Plates for securing LookThru displays to ceilings and a Platform Cover that creates a staging surface for items placed behind the display while protecting LookThru electrical components.

LOOKTHRU CONFIGURATIONS



Table Top (Standard)



Straight Mount




Ceiling Mount (Standard)

LookThru OLED Specifications


Model	UVS-LT-55	UVS-LT-55S
Viewable size	55" diagonal	
Display resolution	Full HD (1920 x 1080)	
Display type	Active Matrix Organic Light-Emitting Diode (AMOLED)	
Surface Treatment	Planar® ERO-OLED™ using Corning® Gorilla Glass®	
Peak White Brightness	500 cd/m ²	
Video Inputs/External Connections	HDMI x4, Display Port x1	
Control and Monitoring	IR, RS-232, USB, LAN, Crestron module	

LOOKTHRU STANDARD AND STRAIGHT MOUNT DIMENSIONAL DRAWINGS

Standard Mount (UVS-LT-55)



Straight Mount (UVS-LT-55S)



Note: Additional drawings available at www.planar.com/lookthru


ACCESSORIES AND HARDWARE FOR LOOKTHRU STANDARD CONFIGURATIONS

**Edge Tiling Component
for Flat Configuration**
Part Number UVS-935-0422-XX

**Center Tiling Component
for Flat Configuration**
Part Number UVS-935-0421-XX

**Center Tiling Component
for Corner Configuration**
Part Number UVS-935-0423-XX

**Edge Tiling Component
for Corner Configuration**
Part Number UVS-935-0424-XX
(not shown)



Base Plates
Part Number UVS-935-0425-00

Planar is a trademark of Planar Systems, Inc. All other trademarks and service marks are property of their holders. Copyright © 2020 Planar Systems, Inc. All rights reserved. This document may not be copied in any form without permission from Planar. Information in this document is subject to change without notice. 1/2020



Platform Cover
Part Number UVS-955-0595-00

For a quotation or to order please state:

Part no. UVS-LT-55 for Table Top (Standard) Mounting

Part no. UVS-LT-55S for Straight Mounting



UVS (Ultimate Visual Solutions) provide turnkey solutions for all types of audio visual and visual display applications. Our projects range from a single display screen in a conference room to a multi-screen video wall system within a 24/7, mission-critical operation such as a Data Centre or Special Operations Room.